

Tables

Table 1: Number of households and women, and response rates, Mongolia, 2000

	Urban/Rural		Total
	Urban	Rural	
Sampled households	2925	3075	6000
Occupied households	2925	3075	6000
Completed households	2925	3075	6000
Household response rate	100.0	100.0	100.0
Eligible women	4199	4407	8606
Interviewed women	3993	4264	8257
Women response rate	95.1	96.8	95.9
Children under 5	2711	3488	6199
Interviewed children under 5	2703	3481	6184
Child response rate	99.7	99.8	99.8

Tables

Table 2: Single year age distribution of household population by sex, Mongolia, 2000

	Age	Sex			
		Male		Female	
		Number	Percent	Number	Percent
0	721	5.1	698	4.4	
1	629	4.5	629	4.0	
2	612	4.3	581	3.7	
3	563	4.0	559	3.5	
4	630	4.5	576	3.6	
5	333	2.4	303	1.9	
6	345	2.4	303	1.9	
7	340	2.4	340	2.1	
8	332	2.3	366	2.3	
9	380	2.7	334	2.1	
10	365	2.6	337	2.1	
11	308	2.2	327	2.1	
12	298	2.1	315	2.0	
13	325	2.3	326	2.1	
14	298	2.1	333	2.1	
15	287	2.0	353	2.2	
16	244	1.7	305	1.9	
17	202	1.4	281	1.8	
18	228	1.6	319	2.0	
19	200	1.4	297	1.9	
20	202	1.4	370	2.3	
21	175	1.2	365	2.3	
22	221	1.6	348	2.2	
23	190	1.3	355	2.2	
24	239	1.7	413	2.6	
25	331	2.3	459	2.9	
26	287	2.0	385	2.4	
27	291	2.1	368	2.3	
28	269	1.9	346	2.2	
29	262	1.9	305	1.9	
30	326	2.3	354	2.2	
31	253	1.8	240	1.5	
32	241	1.7	270	1.7	
33	216	1.5	243	1.5	
34	197	1.4	209	1.3	
35	155	1.1	206	1.3	
36	207	1.5	224	1.4	
37	237	1.7	208	1.3	
38	190	1.3	164	1.0	
39	138	1.0	156	1.0	
40	188	1.3	168	1.1	
41	113	.8	117	.7	
42	127	.9	129	.8	
43	106	.8	118	.7	
44	82	.6	125	.8	
45	111	.8	121	.8	
46	84	.6	85	.5	
47	60	.4	68	.4	

Table 2: Single year age distribution of household population by sex, Mongolia, 2000

		Sex			
		Male		Female	
		Number	Percent	Number	Percent
Age	48	73	.5	88	.6
	49	74	.5	44	.3
	50	86	.6	88	.6
	51	47	.3	46	.3
	52	57	.4	56	.4
	53	59	.4	37	.2
	54	49	.3	45	.3
	55	47	.3	47	.3
	56	31	.2	37	.2
	57	37	.3	42	.3
	58	35	.2	54	.3
	59	42	.3	31	.2
	60	55	.4	51	.3
	61	23	.2	15	.1
	62	33	.2	32	.2
	63	30	.2	31	.2
	64	18	.1	20	.1
	65	37	.3	28	.2
	66	18	.1	18	.1
	67	17	.1	18	.1
	68	19	.1	20	.1
	69	16	.1	18	.1
	70+	89	.6	151	1.0
Total		14130	100.0	15818	100.0

Tables

Table 3: Percentage of cases missing information for selected questions, Mongolia, 2000

	Percent missing	Number
Level of education	8.3	21230
Year of education	.1	21230
Number of hours worked	.0	146

Tables

Table 3: Percentage of cases missing information for selected questions, Mongolia, 2000

	Percent missing	Number
Complete birth date	.1	8257
Date of last tetanus toxoid injection	.	0
Ever been tested for HIV	.1	7769

Tables

Table 3: Percentage of cases missing information for selected questions, Mongolia, 2000

	Percent missing	Number
Complete birth date	.0	6184
Diarrhoea in last 2 weeks	.1	6184
Weight	4.1	6184
Height	4.1	6184

Table 4: Percent distribution of households by background characteristics, Mongolia, 2000

		Percent	Number
By region	West	18.2	1090
	North	22.5	1350
	South	7.3	435
	East	8.8	530
	Central-1	15.8	950
	Central-2	27.4	1645
Household location	Capital city	27.4	1645
	Aimag center	21.3	1280
	Soman center	17.7	1059
	Rural	33.6	2016
Urban/Rural	Urban	48.8	2925
	Rural	51.3	3075
Number of HH members	1	.1	7
	2-3	20.3	1215
	4-5	47.9	2874
	6-7	21.9	1312
	8-9	7.4	441
	10+	2.5	151
Total		100.0	6000

Tables

Table 5: Percent distribution of women 15-49 by background characteristics, Mongolia, 2000

		Percent	Number
By region	West	17.9	1475
	North	21.6	1784
	South	6.9	570
	East	9.9	821
	Central-1	16.3	1342
	Central-2	27.4	2265
Household location	Capital city	27.4	2265
	Aimag center	20.9	1728
	Soman center	18.2	1502
	Rural	33.5	2762
Urban/Rural	Urban	48.4	3993
	Rural	51.6	4264
Age	15-19	16.9	1394
	20-24	21.6	1784
	25-29	21.4	1767
	30-34	16.1	1326
	35-39	11.5	949
	40-44	7.9	649
	45-49	4.7	388
Marital Status	Currently married	60.1	4963
	Formerly married	12.6	1040
	Never married	27.1	2237
	Missing/DK	.2	17
Ever given birth	Yes	76.4	6309
	No	23.6	1948
Woman's education level	None	1.1	92
	Primary	9.2	759
	Non-Completed Secondary	25.4	2099
	Completed Secondary	31.3	2582
	Vocational	9.2	760
	Vocational training and College	12.2	1008
	Higher	10.3	849
	Missing/DK	1.3	108
Total	100.0	8257	

Table 6: Percent distribution of children under 5 by background characteristics, Mongolia, 2000

		Percent	Number
Sex	Male	50.9	3150
	Female	49.1	3034
By region	West	19.2	1186
	North	25.8	1598
	South	7.0	430
	East	9.3	575
	Central-1	14.6	903
	Central-2	24.1	1492
Household location	Capital city	24.1	1492
	Aimag center	19.6	1211
	Soman center	18.6	1152
Urban/Rural	Rural	37.7	2329
	Urban	43.7	2703
Age	Rural	56.3	3481
	< 6 months	10.6	656
	6-11 months	11.4	708
	12-23 months	20.3	1255
	24-35 months	19.3	1193
	36-47 months	18.3	1131
	48-59 months	20.1	1241
Woman's education level	None	.8	48
	Primary	5.1	313
	Non-Completed Secondary	26.6	1645
	Completed Secondary	33.4	2064
	Vocational	10.5	648
	Vocational training and College	13.2	818
	Higher	9.7	599
	Missing/DK	.8	49
Total	100.0	6184	

Tables

Table 7: Mean number of children ever born (CEB) and proportion dead by mother's age, Mongolia, 2000

	Mean number of CEB	Proportion dead	Number of women
Age 15-19	.1	.0	1394
20-24	1.0	.1	1784
25-29	1.9	.1	1767
30-34	2.9	.1	1326
35-39	3.8	.1	949
40-44	4.9	.1	649
45-49	5.3	.1	388
Total	2.2	.1	8257

Tables

Table 7w: Sex ratio at birth by mother's age, Mongolia, 2000

	Total number of boys	Total number of girls	Sex ratio at birth
Age 15-19	89	90	.99
20-24	857	844	1.02
25-29	1762	1533	1.15
30-34	1953	1838	1.06
35-39	1751	1834	.95
40-44	1490	1661	.90
45-49	993	1073	.93

Tables

Table 9: Percentage of children aged 36-59 months who are attending some form of organized early childhood education programme, Mongolia, 2000

		Attending programme	Number of children
Sex	Male	20.9	1216
	Female	21.1	1156
By region	West	18.0	466
	North	7.1	616
	South	13.8	160
	East	12.8	211
	Central-1	22.9	315
	Central-2	41.2	604
	Household location	Capital city	41.2
	Aimag center	26.5	438
	Soman center	17.5	434
	Rural	6.4	896
Area	Urban	35.0	1042
	Rural	10.0	1330
Age	36-47 months	16.2	1131
	48-59 months	25.4	1241
Woman's education level	None	.0	16
	Primary	3.4	118
	Non-Completed Secondary	8.6	605
	Completed Secondary	19.0	717
	Vocational	21.2	288
	Vocational training and College	32.8	351
	Higher	49.4	259
	Missing/DK	11.1	18
Total		21.0	2372

World Summit for Children Goal => Number 26

Tables

Table 10: Percentage of children entering first grade of primary school who eventually reach grade 5, Mongolia, 2000

		Percent in grade 1 reaching grade 2	Percent in grade 2 reaching grade 3	Percent in grade 3 reaching grade 4	Percent in grade 4 reaching grade 5	Percent who reach grade 5 of those who enter grade 1
Sex	Male	98.9	98.8	97.9	98.1	93.9
	Female	98.8	100.0	98.6	98.0	95.5
By region	West	98.5	99.2	98.2	98.6	94.7
	North	100.0	99.3	96.3	97.6	93.5
	South	97.8	100.0	100.0	100.0	97.8
	East	84.4	95.5	87.3	88.1	69.7
	Central-1	99.5	100.0	99.0	100.0	98.5
	Central-2	100.0	100.0	100.0	100.0	100.0
Urban/Rural	Urban	99.4	99.7	99.6	98.3	97.0
	Rural	98.4	99.3	97.4	97.8	93.2
Total	1.00	98.9	99.4	98.3	98.1	94.7

Tables

Table 11: Percentage of children of primary school age attending primary school, Mongolia, 2000

		Sex				Total	
		Male		Female		Attending	Number
		Attending school		Attending school			
		Attending	Number	Attending	Number		
By region	West	74.9	410	72.4	420	73.6	830
	North	68.1	464	71.4	458	69.7	922
	South	75.6	160	80.7	150	78.1	310
	East	70.5	207	74.5	192	72.4	399
	Central-1	75.8	376	80.0	431	78.1	807
	Central-2	85.2	406	80.4	368	82.9	774
Household location	Capital city	85.2	406	80.4	368	82.9	774
	Aimag center	79.0	476	80.9	465	79.9	941
	Soman center	73.9	456	77.8	477	75.9	933
	Rural	67.4	685	69.5	709	68.5	1394
Urban/Rural	Urban	81.9	882	80.7	833	81.3	1715
	Rural	70.0	1141	72.8	1186	71.5	2327
Age	7	25.6	340	26.5	340	26.0	680
	8	62.0	332	63.1	366	62.6	698
	9	87.6	380	87.1	334	87.4	714
	10	94.0	365	95.5	337	94.7	702
	11	93.2	308	94.5	327	93.9	635
	12	88.9	298	93.0	315	91.0	613
Total	7-10	68.4	1417	67.8	1377	68.1	2794
	7-11	72.8	1725	72.9	1704	72.9	3429
	7-12	75.2	2023	76.1	2019	75.6	4042
	8-9	75.7	712	74.6	700	75.1	1412
	8-10	81.9	1077	81.4	1037	81.6	2114
	8-11	84.4	1385	84.5	1364	84.5	2749
	8-12	85.2	1683	86.1	1679	85.7	3362
	9-12	90.9	1351	92.5	1313	91.7	2664

World Summit for Children Goal => Number 6

Table 12: Percentage of the population aged 15 years and older that is literate, Mongolia, 2000

		Sex						
		Male			Female			
		Literate	Not known	Number	Literate	Not known	Number	
By region	West	99.0	1.0	1370	98.8	1.2	1614	98.9
	North	98.5	1.5	1693	97.4	2.5	2001	97.9
	South	98.0	2.0	538	98.0	1.8	654	98.0
	East	97.3	2.7	710	98.9	1.1	925	98.2
	Central-1	98.1	1.9	1236	98.0	2.0	1607	98.1
	Central-2	99.3	.7	2104	99.4	.6	2690	99.4
Household location	Capital city	99.3	.7	2104	99.4	.6	2690	99.4
	Aimag center	99.1	.9	1588	98.4	1.6	2030	98.7
	Soman center	98.3	1.7	1376	99.2	.8	1682	98.8
	Rural	97.9	2.1	2583	97.4	2.5	3089	97.7
Urban/Rural	Urban	99.2	.8	3692	99.0	1.0	4720	99.1
	Rural	98.0	2.0	3959	98.1	1.9	4771	98.0
Age	15-24	97.6	2.4	2188	99.2	.7	3406	98.6
	25-34	99.2	.8	2673	99.3	.7	3179	99.2
	35-44	99.0	1.0	1543	98.8	1.2	1615	98.9
	45-54	99.1	.9	700	99.1	.9	678	99.1
	55-64	98.6	1.4	351	94.4	5.6	360	96.5
	65+	96.9	3.1	196	81.4	18.6	253	88.2
Total		98.6	1.4	7651	98.5	1.5	9491	98.5

World Summit for Children Goal => Number 7

Table 12: Percentage of the population aged 15 years and older that is literate, Mongolia, 2000

		Total		
		Literate	Not known	Number
By region	West	98.9	1.1	2984
	North	97.9	2.1	3694
	South	98.0	1.9	1192
	East	98.2	1.8	1635
	Central-1	98.1	1.9	2843
	Central-2	99.4	.6	4794
Household location	Capital city	99.4	.6	4794
	Aimag center	98.7	1.3	3618
	Soman center	98.8	1.2	3058
	Rural	97.7	2.3	5672
Urban/Rural	Urban	99.1	.9	8412
	Rural	98.0	1.9	8730
Age	15-24	98.6	1.4	5594
	25-34	99.2	.8	5852
	35-44	98.9	1.1	3158
	45-54	99.1	.9	1378
	55-64	96.5	3.5	711
	65+	88.2	11.8	449
Total		98.5	1.4	17142

World Summit for Children Goal => Number 7

Table 13: Percentage of the population using improved drinking water sources, Mongolia, 2000

		Main source of water				
		Piped into dwelling	Piped into yard or plot	Public tap	Tubewell/borehole with pump	Protected dug well
By region	West	8.1	.4	2.3	8.5	12.7
	North	.3	.0	8.4	3.1	10.9
	South	5.8	.0	23.8	12.5	38.4
	East	15.5	.3	12.0	3.2	22.3
	Central-1	27.2	2.4	19.8	18.6	15.6
	Central-2	49.2	.1	38.1	1.7	7.9
Household location	Capital city	49.2	.1	38.1	1.7	7.9
	Aimag center	33.6	1.4	26.4	5.3	16.4
	Soman center	4.2	.1	12.5	17.1	15.9
	Rural	.4	.6	1.6	6.4	16.8
Urban/Rural	Urban	42.1	.7	32.8	3.3	11.7
	Rural	1.8	.4	5.5	10.2	16.5
Total		20.4	.6	18.1	7.0	14.3

World Summit for Children Goal => Number 4

Table 13: Percentage of the population using improved drinking water sources, Mongolia, 2000

		Main source of water				
		Protected spring	Bottled water	Unprotected dug well	Unprotected spring	Pond, river or stream
By region	West	.1	.1	5.8	.5	49.5
	North	.0	.1	6.5	.1	67.9
	South	.0	.0	13.9	.3	2.6
	East	.0	.3	18.3	.1	25.5
	Central-1	.0	.1	4.5	.0	5.8
	Central-2	.1	.0	.4	.0	.0
Household location	Capital city	.1	.0	.4	.0	.0
	Aimag center	.1	.0	2.1	.0	7.0
	Soman center	.0	.3	5.9	.0	40.2
	Rural	.0	.0	12.9	.4	55.3
Urban/Rural	Urban	.1	.0	1.2	.0	3.2
	Rural	.0	.1	10.4	.3	49.9
Total		.0	.1	6.1	.1	28.3

World Summit for Children Goal => Number 4

Table 13: Percentage of the population using improved drinking water sources, Mongolia, 2000

		Main source of water			Total
		Tanker truck vendor	Other	Missing/DK	
By region	West	6.1	5.9	.0	100.0
	North	.6	2.1	.0	100.0
	South	2.6	.0	.0	100.0
	East	1.1	1.4	.0	100.0
	Central-1	2.6	3.4	.0	100.0
	Central-2	2.5	.0	.0	100.0
Household location	Capital city	2.5	.0	.0	100.0
	Aimag center	6.9	.9	.0	100.0
	Soman center	1.9	1.8	.0	100.0
	Rural	.6	5.0	.0	100.0
Urban/Rural	Urban	4.5	.4	.0	100.0
	Rural	1.0	3.9	.0	100.0
Total		2.6	2.3	.0	100.0

World Summit for Children Goal => Number 4

Table 13: Percentage of the population using improved drinking water sources, Mongolia, 2000

		Total with safe drinking water	Number of persons
By region	West	32.2	5504
	North	22.6	6894
	South	80.6	2120
	East	53.3	2848
	Central-1	83.7	5035
	Central-2	97.1	7547
Household location	Capital city	97.1	7547
	Aimag center	83.1	6299
	Soman center	49.8	5722
	Rural	25.9	10380
Urban/Rural	Urban	90.8	13846
	Rural	34.4	16102
Total		60.5	29948

World Summit for Children Goal => Number 4

Tables

Table 14: Percentage of the population using sanitary means of excreta disposal, Mongolia, 2000

		Kind of toilet facility					
		Flush to sewage system or septic tank	Pour flush latrine	Improved pit latrine	Traditional pit latrine	Open pit	Other
By region	West	8.0	.3	.7	51.7	5.8	.0
	North	.2	.1	.3	52.1	14.2	.3
	South	7.5	.0	.4	44.4	6.6	.0
	East	15.7	.0	.3	63.4	5.4	.0
	Central-1	28.1	.3	1.3	59.1	.7	.1
	Central-2	49.1	.1	1.8	45.7	2.9	.1
Household location	Capital city	49.1	.1	1.8	45.7	2.9	.1
	Aimag center	33.6	.3	.6	62.5	2.0	.1
	Soman center	4.8	.3	1.1	80.6	7.7	.1
	Rural	.8	.0	.4	34.8	10.3	.1
Urban/Rural	Urban	42.1	.2	1.3	53.4	2.5	.1
	Rural	2.3	.1	.6	51.1	9.4	.1
Total		20.7	.1	.9	52.1	6.2	.1

World Summit for Children Goal => Number 5

Table 14: Percentage of the population using sanitary means of excreta disposal, Mongolia, 2000

		Kind of toilet facility		Total	Total with sanitary means of excreta disposal	Number of persons
		No facilities or bush or field	DK			
By region	West	33.4	.0	100.0	60.8	5504
	North	32.7	.0	100.0	52.8	6894
	South	41.1	.0	100.0	52.4	2120
	East	15.2	.0	100.0	79.4	2848
	Central-1	10.3	.2	100.0	88.8	5035
	Central-2	.2	.0	100.0	96.8	7547
Household location	Capital city	.2	.0	100.0	96.8	7547
	Aimag center	.9	.1	100.0	97.0	6299
	Soman center	5.4	.0	100.0	86.8	5722
	Rural	53.5	.0	100.0	36.1	10380
Urban/Rural	Urban	.5	.1	100.0	96.9	13846
	Rural	36.4	.0	100.0	54.1	16102
Total		19.8	.0	100.0	73.9	29948

World Summit for Children Goal => Number 5

Tables

Table 16: Percent of living children by breastfeeding status, Mongolia, 2000

		Exclusive breastfeeding		Solid foods	
		Children 0-3 months	Number of children	Children 6-9 months	Number of children
Sex	Male	64.4	219	57.2	229
	Female	63.6	195	51.9	239
By region	West	67.1	73	56.8	81
	North	70.8	106	43.5	138
	South	82.1	28	51.7	29
	East	62.2	37	53.2	47
	Central-1	60.6	66	58.2	67
	Central-2	52.9	104	66.0	106
Household location	Capital city	52.9	104	66.0	106
	Aimag center	65.3	75	54.1	98
	Soman center	61.3	75	46.9	81
	Rural	71.9	160	51.4	183
Urban/Rural	Urban	58.1	179	60.3	204
	Rural	68.5	235	50.0	264
Woman's education level	None	50.0	4	.	0
	Primary	69.6	23	57.1	28
	Non-Completed Secondary	65.1	109	48.8	127
	Completed Secondary	67.1	161	55.8	165
	Vocational	60.9	46	52.4	42
	Vocational training and College	61.0	41	52.9	51
	Higher	48.1	27	68.1	47
	Missing/DK	66.7	3	50.0	8
Total	64.0	414	54.5	468	

World Summit for Children Goal => Number 16

Table 16: Percent of living children by breastfeeding status, Mongolia, 2000

		Breastfed		Breastfed	
		Children 12-15 months	Number of children	Children 20-23 months	Number of children
Sex	Male	76.3	241	57.2	201
	Female	74.1	243	56.6	175
By region	West	83.5	85	60.2	98
	North	74.3	105	49.4	79
	South	92.1	38	69.0	29
	East	67.9	53	33.3	24
	Central-1	76.9	78	55.6	63
	Central-2	67.2	125	63.9	83
Household location	Capital city	67.2	125	63.9	83
	Aimag center	84.4	96	60.7	84
	Soman center	78.7	89	53.2	94
	Rural	74.1	174	52.2	115
Urban/Rural	Urban	74.7	221	62.3	167
	Rural	75.7	263	52.6	209
Woman's education level	None	75.0	4	100.0	2
	Primary	53.8	26	62.5	16
	Non-Completed Secondary	74.8	139	55.6	117
	Completed Secondary	75.3	158	56.8	132
	Vocational	86.8	38	74.3	35
	Vocational training and College	72.9	59	47.8	46
	Higher	78.9	57	51.9	27
	Missing/DK	100.0	3	.0	1
Total	75.2	484	56.9	376	

World Summit for Children Goal => Number 16

Tables

Table 17: Percentage of households consuming adequately iodized salt, Mongolia, 2000

		Percent of households with no salt	Percent of households in which salt was tested	Result of test		Number of households interviewed
				< 15 PPM	15+ PPM	
By region	West	.3	99.3	15.2	3.0	1090
	North	.1	99.8	16.8	5.8	1350
	South	.5	98.4	2.7	4.5	435
	East	.6	99.1	4.6	4.2	530
	Central-1	.2	98.9	11.0	4.7	950
	Central-2	.3	99.3	4.8	22.7	1645
Household location	Capital city	.3	99.3	4.8	22.7	1645
	Aimag center	.4	99.0	13.5	7.7	1280
	Soman center	.2	99.2	11.7	5.9	1059
	Rural	.2	99.5	25.1	8.5	2016
Urban/Rural	Urban	.3	99.2	18.3	30.4	2925
	Rural	.2	99.3	36.8	14.5	3075
Total		.3	99.3	55.1	44.9	6000

World Summit for Children Goal => Number 14

Tables

Table 17a: Percentage of households consuming adequately iodized salt, Mongolia, 2000

		Percent of households with no salt	Percent of households in which salt was tested	< 15 PPM	<15+ PPM	Number of households interviewed
						Total
By region	West	.3	99.3	83.1	16.1	1090
	North	.1	99.8	74.0	25.8	1350
	South	.5	98.4	37.2	61.1	435
	East	.6	99.1	51.9	47.2	530
	Central-1	.2	98.9	69.3	29.7	950
	Central-2	.3	99.3	17.2	82.1	1645
Household location	Capital city	.3	99.3	17.2	82.1	1645
	Aimag center	.4	99.0	63.0	35.9	1280
	Soman center	.2	99.2	65.7	33.4	1059
	Rural	.2	99.5	74.3	25.2	2016
Urban/Rural	Urban	.3	99.2	37.3	61.9	2925
	Rural	.2	99.3	71.3	28.0	3075
Total		.3	99.3	54.7	44.6	6000

World Summit for Children Goal => Number 14

Tables

Table 18: Percent distribution of children aged 6-59 months by whether they received a high dose of Vitamin A supplement in the last 6 months, Mongolia, 2000

		Vitamin A				
		Received: within last 6 months	Received: prior to last 6 months	Received: not sure when	Not sure if received	Not received
Sex	Male	30.6	11.0	3.3	1.2	53.9
	Female	32.5	9.9	2.9	1.3	53.4
By region	West	32.4	10.3	2.0	.7	54.6
	North	32.5	8.0	2.2	.4	56.8
	South	32.4	17.8	2.9	.5	46.3
	East	32.4	8.7	3.9	1.2	53.8
	Central-1	33.6	10.6	2.0	1.6	52.2
	Central-2	28.0	11.7	5.3	2.6	52.4
	Household location	Capital city	28.0	11.7	5.3	2.6
Household location	Aimag center	47.9	12.0	2.9	1.5	35.7
	Soman center	31.8	11.1	2.0	.5	54.6
	Rural	25.2	8.6	2.2	.6	63.4
Urban/Rural	Urban	36.9	11.8	4.3	2.1	44.9
	Rural	27.4	9.4	2.2	.6	60.5
Age	6-11 months	30.1	1.0	1.1	.4	67.4
	12-23 months	35.9	6.1	1.7	.6	55.7
	24-35 months	35.1	10.7	2.8	1.1	50.3
	36-47 months	28.2	13.3	5.0	1.7	51.8
	48-59 months	27.7	17.4	4.1	2.0	48.8
Woman's education level	None	30.0	12.5	.0	2.5	55.0
	Primary	22.3	7.3	2.2	2.6	65.7
	Non-Completed Secondary	30.7	7.5	2.4	.9	58.5
	Completed Secondary	33.5	9.8	2.9	1.4	52.3
	Vocational	32.5	12.7	3.8	1.2	49.7
	Vocational training and College	31.8	14.0	3.2	.8	50.2
	Higher	30.3	15.1	5.3	1.5	47.9
	Missing/DK	37.8	4.4	.0	.0	57.8
Total		31.6	10.5	3.1	1.2	53.7

World Summit for Children Goal => Number 15

Table 18: Percent distribution of children aged 6-59 months by whether they received a high dose of Vitamin A supplement in the last 6 months, Mongolia, 2000

		Total	
		Total	Number of children
Sex	Male	100.0	2820
	Female	100.0	2708
By region	West	100.0	1076
	North	100.0	1429
	South	100.0	376
	East	100.0	515
	Central-1	100.0	803
	Central-2	100.0	1329
	Household location	Capital city	100.0
	Aimag center	100.0	1086
	Soman center	100.0	1037
	Rural	100.0	2076
Urban/Rural	Urban	100.0	2415
	Rural	100.0	3113
Age	6-11 months	100.0	708
	12-23 months	100.0	1255
	24-35 months	100.0	1193
	36-47 months	100.0	1131
	48-59 months	100.0	1241
Woman's education level	None	100.0	40
	Primary	100.0	274
	Non-Completed Secondary	100.0	1478
	Completed Secondary	100.0	1808
	Vocational	100.0	581
	Vocational training and College	100.0	751
	Higher	100.0	551
	Missing/DK	100.0	45
Total		100.0	5528

World Summit for Children Goal => Number 15

Tables

Table 19: Percentage of women with a birth in the last 12 months by whether they received a high dose of Vitamin A supplement before the infant was 8 weeks old, Mongolia, 2000

		Received Vitamin A supplement	Not sure if received	Number of women
By region	West	5.7	4.5	245
	North	10.2	1.0	403
	South	15.5	2.7	110
	East	12.3	.7	146
	Central-1	21.7	1.4	221
	Central-2	16.2	4.1	390
Household location	Capital city	16.2	4.1	390
	Aimag center	22.0	2.1	291
	Soman center	10.3	.7	272
Urban/Rural	Rural	8.2	2.5	562
	Urban	18.6	3.2	681
Woman's education level	Rural	8.9	1.9	834
	None	.0	.0	10
	Primary	6.0	.0	84
	Non-Completed Secondary	12.8	2.0	391
	Completed Secondary	15.0	1.9	572
	Vocational	10.5	1.5	133
	Vocational training and College	11.0	6.4	172
	Higher	16.5	4.3	139
Missing/DK	28.6	.0	14	
Total		13.3	2.5	1515

World Summit for Children Goal => Number 15

Tables

Table 20: Percentage of live births in the last 12 months that weighed below 2500 grams at birth, Mongolia, 2000

		Percent of live births below 2500 grams	Percent of live births weighed at birth	Number of live births
By region	West	8.3	88.6	245
	North	3.7	96.5	403
	South	5.8	96.4	110
	East	5.7	100.0	146
	Central-1	6.9	95.9	221
	Central-2	4.8	96.2	390
	Household location	Capital city	4.8	96.2
Aimag center		6.1	98.3	291
Soman center		5.4	97.1	272
Rural		5.8	92.5	562
Urban/Rural	Urban	5.4	97.1	681
	Rural	5.7	94.0	834
Woman's education level	None	7.0	90.0	10
	Primary	5.3	92.9	84
	Non-Completed Secondary	6.1	94.1	391
	Completed Secondary	5.7	97.2	572
	Vocational	4.4	96.2	133
	Vocational training and College	5.3	93.6	172
	Higher	4.6	96.4	139
	Missing/DK	6.4	78.6	14
Total		5.5	95.4	1515

World Summit for Children Goal => Number 12

Tables

Table 22: Percentage of children age 12-23 months currently vaccinated against childhood diseases, Mongolia, 2000

		BCG	DPT 1	DPT 2	DPT 3	Polio 0
Sex	Male	95.3	92.3	90.7	88.9	93.6
	Female	95.9	91.5	91.2	89.4	94.0
By region	West	96.9	91.2	91.9	92.3	96.2
	North	99.0	93.2	92.5	92.5	98.6
	South	100.0	97.8	97.8	96.7	100.0
	East	89.3	87.5	85.7	83.0	85.7
	Central-1	88.2	84.2	79.8	72.4	82.3
	Central-2	97.3	96.2	95.9	94.5	95.9
Household location	Capital city	97.3	96.2	95.9	94.5	95.9
	Aimag center	89.8	87.9	85.2	80.5	84.0
	Soman center	96.0	92.0	92.4	91.2	95.2
	Rural	97.6	91.2	90.1	89.5	97.1
Urban/Rural	Urban	93.8	92.3	90.9	88.0	90.3
	Rural	97.0	91.5	90.9	90.1	96.5
Woman's education level	None	100.0	87.5	87.5	87.5	100.0
	Primary	98.4	82.5	84.1	84.1	95.2
	Non-Completed Secondary	96.2	92.9	91.2	89.6	94.5
	Completed Secondary	94.8	91.5	91.3	89.6	92.9
	Vocational	93.4	87.6	85.1	82.6	91.7
	Vocational training and College	98.6	97.2	95.8	93.1	97.9
	Higher	93.4	92.6	91.8	90.2	90.2
	Missing/DK	100.0	100.0	100.0	100.0	100.0
Total	95.6	91.9	90.9	89.2	93.8	

Table 22: Percentage of children age 12-23 months currently vaccinated against childhood diseases, Mongolia, 2000

		Polio 1	Polio 2	Polio 3	Measles	All
Sex	Male	92.4	89.9	88.2	85.8	82.8
	Female	92.1	91.2	89.4	85.5	82.0
By region	West	90.8	91.5	92.3	87.7	84.6
	North	94.9	93.2	92.9	82.4	81.4
	South	97.8	97.8	96.7	96.7	95.7
	East	89.3	84.8	82.1	75.0	71.4
	Central-1	83.7	77.8	70.9	76.4	67.0
	Central-2	96.2	95.6	94.2	94.2	92.2
	Capital city	96.2	95.6	94.2	94.2	92.2
Household location	Aimag center	88.3	84.0	79.7	78.9	73.8
	Soman center	92.4	92.0	91.2	85.3	82.5
	Rural	91.9	90.1	89.2	84.2	80.9
Urban/Rural	Urban	92.5	90.2	87.4	87.1	83.6
	Rural	92.1	90.8	89.9	84.6	81.4
Woman's education level	None	87.5	87.5	87.5	87.5	87.5
	Primary	85.7	85.7	84.1	81.0	74.6
	Non-Completed Secondary	92.9	91.0	89.9	84.9	81.9
	Completed Secondary	91.5	90.1	88.7	84.7	81.9
	Vocational	89.3	86.0	82.6	86.0	80.2
	Vocational training and College	97.9	95.1	92.4	89.6	85.4
	Higher	92.6	91.8	90.2	88.5	87.7
	Missing/DK	100.0	100.0	100.0	85.7	85.7
Total	92.3	90.5	88.8	85.7	82.4	

Table 22: Percentage of children age 12-23 months currently vaccinated against childhood diseases, Mongolia, 2000

		None	% with health card	Number of children
Sex	Male	4.3	89.5	621
	Female	4.1	90.5	634
By region	West	3.1	96.2	260
	North	1.0	96.9	295
	South	.0	100.0	92
	East	8.9	79.5	112
	Central-1	11.8	73.4	203
	Central-2	2.7	90.1	293
	Household location	Capital city	2.7	90.1
Household location	Aimag center	10.2	76.6	256
	Soman center	3.6	94.4	251
	Rural	2.2	95.2	455
Urban/Rural	Urban	6.2	83.8	549
	Rural	2.7	94.9	706
Woman's education level	None	.0	100.0	8
	Primary	1.6	92.1	63
	Non-Completed Secondary	3.6	92.3	365
	Completed Secondary	5.2	88.7	425
	Vocational	5.8	86.8	121
	Vocational training and College	1.4	91.7	144
	Higher	6.6	86.9	122
	Missing/DK	.0	100.0	7
Total		4.2	90.0	1255

Tables

Table 23: Percentage of under-five children with diarrhea in the last two weeks and treatment with ORS or ORT, Mongolia, 2000

		Had diarrhea in last two weeks	Number of children under 5	Breast milk	Gruel
Sex	Male	7.9	3150	62.4	50.8
	Female	8.2	3034	59.8	60.6
By region	West	11.9	1186	58.9	51.1
	North	3.8	1598	67.2	50.8
	South	10.5	430	55.6	51.1
	East	9.4	575	55.6	63.0
	Central-1	6.6	903	68.3	65.0
	Central-2	9.2	1492	61.6	57.2
	Household location	Capital city	9.2	1492	61.6
Household location	Aimag center	8.6	1211	62.5	56.7
	Soman center	8.0	1152	65.2	58.7
	Rural	7.1	2329	57.6	52.1
Urban/Rural	Urban	9.0	2703	62.0	57.0
	Rural	7.4	3481	60.3	54.5
Age	< 6 months	7.3	656	85.4	25.0
	6-11 months	13.8	708	85.7	55.1
	12-23 months	14.5	1255	75.3	63.7
	24-35 months	6.1	1193	46.6	60.3
	36-47 months	4.2	1131	10.6	55.3
	48-59 months	4.1	1241	7.8	51.0
Woman's education level	None	8.3	48	25.0	50.0
	Primary	8.3	313	53.8	50.0
	Non-Completed Secondary	6.6	1645	58.7	43.1
	Completed Secondary	8.4	2064	64.9	54.6
	Vocational	7.7	648	60.0	64.0
	Vocational training and College	8.9	818	63.0	61.6
	Higher	9.8	599	55.9	69.5
	Missing/DK	8.2	49	100.0	75.0
Total		8.1	6184	61.1	55.7

World Summit for Children Goal => Number 23

Table 23: Percentage of under-five children with diarrhea in the last two weeks and treatment with ORS or ORT, Mongolia, 2000

		Local acceptable	ORS packet	Other milk or infant formula	Water with feeding
Sex	Male	64.4	57.2	53.2	30.8
	Female	63.1	54.6	47.4	31.3
By region	West	72.3	53.9	55.3	22.0
	North	60.7	37.7	41.0	24.6
	South	42.2	68.9	37.8	17.8
	East	66.7	59.3	50.0	33.3
	Central-1	63.3	63.3	55.0	45.0
	Central-2	62.3	57.2	51.4	40.6
	Household location	Capital city	62.3	57.2	51.4
Household location	Aimag center	59.6	57.7	43.3	32.7
	Soman center	60.9	68.5	52.2	27.2
	Rural	69.1	46.7	52.7	24.2
Urban/Rural	Urban	61.2	57.4	47.9	37.2
	Rural	66.1	54.5	52.5	25.3
Age	< 6 months	20.8	31.3	18.8	14.6
	6-11 months	68.4	58.2	51.0	30.6
	12-23 months	68.1	60.4	54.4	33.5
	24-35 months	69.9	47.9	58.9	32.9
	36-47 months	68.1	57.4	66.0	34.0
	48-59 months	66.7	68.6	37.3	33.3
	Woman's education level	None	75.0	100.0	.0
Primary		61.5	46.2	46.2	30.8
Non-Completed Secondary		60.6	51.4	42.2	31.2
Completed Secondary		64.9	54.0	48.3	31.0
Vocational		60.0	58.0	56.0	24.0
Vocational training and College		65.8	64.4	58.9	31.5
Higher		66.1	57.6	59.3	37.3
Missing/DK		75.0	75.0	75.0	50.0
Total	63.7	55.9	50.3	31.1	

World Summit for Children Goal => Number 23

Table 23: Percentage of under-five children with diarrhea in the last two weeks and treatment with ORS or ORT, Mongolia, 2000

		Any recommended treatment	No treatment	Number of children with diarrhea
				1.00
Sex	Male	98.0	2.0	250
	Female	98.0	2.0	249
By region	West	98.6	1.4	141
	North	93.4	6.6	61
	South	97.8	2.2	45
	East	100.0	.0	54
	Central-1	100.0	.0	60
	Central-2	97.8	2.2	138
	Household location	Capital city	97.8	2.2
Household location	Aimag center	97.1	2.9	104
	Soman center	100.0	.0	92
	Rural	97.6	2.4	165
Urban/Rural	Urban	97.5	2.5	242
	Rural	98.4	1.6	257
Age	< 6 months	95.8	4.2	48
	6-11 months	100.0	.0	98
	12-23 months	98.4	1.6	182
	24-35 months	97.3	2.7	73
	36-47 months	97.9	2.1	47
	48-59 months	96.1	3.9	51
Woman's education level	None	100.0	.0	4
	Primary	100.0	.0	26
	Non-Completed Secondary	96.3	3.7	109
	Completed Secondary	98.3	1.7	174
	Vocational	98.0	2.0	50
	Vocational training and College	98.6	1.4	73
	Higher	98.3	1.7	59
	Missing/DK	100.0	.0	4
Total		98.0	2.0	499

World Summit for Children Goal => Number 23

Tables

Table 24: Percentage of under-five children with diarrhea in the last two weeks who took increased fluids and continued to feed during the episode, Mongolia, 2000

		Had diarrhea in last two weeks	Number of children under 5	Drinking during diarrhea		
				More	Same/Less	Missing/DK
Sex	Male	7.9	3150	42.4	51.2	6.4
	Female	8.2	3034	39.4	55.0	5.6
By region	West	11.9	1186	40.4	54.6	5.0
	North	3.8	1598	32.8	60.7	6.6
	South	10.5	430	46.7	51.1	2.2
	East	9.4	575	53.7	42.6	3.7
	Central-1	6.6	903	45.0	48.3	6.7
	Central-2	9.2	1492	36.2	55.1	8.7
Household location	Capital city	9.2	1492	36.2	55.1	8.7
	Aimag center	8.6	1211	33.7	58.7	7.7
	Soman center	8.0	1152	45.7	52.2	2.2
	Rural	7.1	2329	46.7	48.5	4.8
Urban/Rural	Urban	9.0	2703	35.1	56.6	8.3
	Rural	7.4	3481	46.3	49.8	3.9
Age	< 6 months	7.3	656	20.8	66.7	12.5
	6-11 months	13.8	708	42.9	53.1	4.1
	12-23 months	14.5	1255	44.5	52.2	3.3
	24-35 months	6.1	1193	37.0	53.4	9.6
	36-47 months	4.2	1131	42.6	48.9	8.5
	48-59 months	4.1	1241	47.1	47.1	5.9
Woman's education level	None	8.3	48	50.0	50.0	.0
	Primary	8.3	313	23.1	76.9	.0
	Non-Completed Secondary	6.6	1645	44.0	47.7	8.3
	Completed Secondary	8.4	2064	39.7	55.7	4.6
	Vocational	7.7	648	44.0	52.0	4.0
	Vocational training and College	8.9	818	45.2	47.9	6.8
	Higher	9.8	599	35.6	54.2	10.2
	Missing/DK	8.2	49	75.0	25.0	.0
Total	8.1	6184	40.9	53.1	6.0	

World Summit for Children Goal => Number 23

Table 24: Percentage of under-five children with diarrhea in the last two weeks who took increased fluids and continued to feed during the episode, Mongolia, 2000

		Total	Eating during diarrhea			Total	Received increased fluids and continued eating
			somewhat less/same/more	Much less/none	Missing/DK		
Sex	Male	100.0	74.8	20.4	4.8	100.0	33.6
	Female	100.0	73.9	22.1	4.0	100.0	29.3
By region	West	100.0	68.8	27.0	4.3	100.0	30.5
	North	100.0	80.3	19.7	.0	100.0	27.9
	South	100.0	88.9	8.9	2.2	100.0	42.2
	East	100.0	72.2	27.8	.0	100.0	33.3
	Central-1	100.0	71.7	21.7	6.7	100.0	31.7
	Central-2	100.0	74.6	17.4	8.0	100.0	29.7
Household location	Capital city	100.0	74.6	17.4	8.0	100.0	29.7
	Aimag center	100.0	76.0	19.2	4.8	100.0	26.9
	Soman center	100.0	79.3	19.6	1.1	100.0	34.8
	Rural	100.0	70.3	26.7	3.0	100.0	33.9
Urban/Rural	Urban	100.0	75.2	18.2	6.6	100.0	28.5
	Rural	100.0	73.5	24.1	2.3	100.0	34.2
Age	< 6 months	100.0	79.2	14.6	6.3	100.0	16.7
	6-11 months	100.0	77.6	18.4	4.1	100.0	31.6
	12-23 months	100.0	76.9	20.3	2.7	100.0	36.8
	24-35 months	100.0	64.4	27.4	8.2	100.0	24.7
	36-47 months	100.0	74.5	19.1	6.4	100.0	36.2
	48-59 months	100.0	68.6	29.4	2.0	100.0	31.4
Woman's education level	None	100.0	100.0	.0	.0	100.0	50.0
	Primary	100.0	69.2	30.8	.0	100.0	11.5
	Non-Completed Secondary	100.0	66.1	28.4	5.5	100.0	32.1
	Completed Secondary	100.0	79.3	17.8	2.9	100.0	32.8
	Vocational	100.0	70.0	28.0	2.0	100.0	32.0
	Vocational training and College	100.0	80.8	13.7	5.5	100.0	37.0
	Higher	100.0	69.5	20.3	10.2	100.0	23.7
	Missing/DK	100.0	100.0	.0	.0	100.0	75.0
Total		100.0	74.3	21.2	4.4	100.0	31.5

World Summit for Children Goal => Number 23

Table 24: Percentage of under-five children with diarrhea in the last two weeks who took increased fluids and continued to feed during the episode, Mongolia, 2000

		Number of children with diarrhea
		1.00
Sex	Male	250
	Female	249
By region	West	141
	North	61
	South	45
	East	54
	Central-1	60
	Central-2	138
Household location	Capital city	138
	Aimag center	104
	Soman center	92
	Rural	165
Urban/Rural	Urban	242
	Rural	257
Age	< 6 months	48
	6-11 months	98
	12-23 months	182
	24-35 months	73
	36-47 months	47
	48-59 months	51
Woman's education level	None	4
	Primary	26
	Non-Completed Secondary	109
	Completed Secondary	174
	Vocational	50
	Vocational training and College	73
	Higher	59
	Missing/DK	4
Total		499

World Summit for Children Goal => Number 23

Tables

Table 25: Percentage of under-five children with acute respiratory infection in the last two weeks and treatment by health providers, Mongolia, 2000

		Had acute respiratory infection	Number of children under 5	Hospital	Health centre	Dispensary
Sex	Male	2.3	3150	47.2	26.4	1.4
	Female	2.3	3034	46.5	26.8	.0
By region	West	3.1	1186	56.8	18.9	.0
	North	1.2	1598	52.6	10.5	5.3
	South	1.4	430	66.7	33.3	.0
	East	4.2	575	37.5	45.8	.0
	Central-1	3.3	903	33.3	26.7	.0
	Central-2	1.8	1492	48.1	29.6	.0
	Household location	Capital city	1.8	1492	48.1	29.6
Household location	Aimag center	3.0	1211	30.6	44.4	.0
	Soman center	2.9	1152	54.5	21.2	.0
	Rural	2.0	2329	53.2	14.9	2.1
Urban/Rural	Urban	2.3	2703	38.1	38.1	.0
	Rural	2.3	3481	53.8	17.5	1.3
Age	< 6 months	1.4	656	55.6	11.1	.0
	6-11 months	4.4	708	38.7	25.8	.0
	12-23 months	3.7	1255	44.7	29.8	.0
	24-35 months	1.4	1193	41.2	41.2	.0
	36-47 months	1.4	1131	62.5	18.8	6.3
	48-59 months	1.9	1241	52.2	21.7	.0
Woman's education level	None	6.3	48	33.3	33.3	.0
	Primary	3.5	313	45.5	18.2	.0
	Non-Completed Secondary	2.1	1645	55.9	17.6	2.9
	Completed Secondary	2.3	2064	53.2	23.4	.0
	Vocational	2.0	648	30.8	30.8	.0
	Vocational training and College	1.7	818	64.3	21.4	.0
	Higher	2.8	599	11.8	58.8	.0
	Missing/DK	8.2	49	50.0	25.0	.0
Total		2.3	6184	46.9	26.6	.7

World Summit for Children Goal => Number 24

Table 25: Percentage of under-five children with acute respiratory infection in the last two weeks and treatment by health providers, Mongolia, 2000

		Village health worker	MCH clinic	Mobile/outreach clinic	Private physician	Traditional healer
Sex	Male	.0	.0	1.4	1.4	4.2
	Female	.0	1.4	2.8	1.4	1.4
By region	West	.0	.0	5.4	.0	.0
	North	.0	.0	.0	5.3	10.5
	South	.0	.0	.0	16.7	.0
	East	.0	.0	4.2	.0	.0
	Central-1	.0	.0	.0	.0	.0
	Central-2	.0	3.7	.0	.0	7.4
	Capital city	.0	3.7	.0	.0	7.4
Household location	Aimag center	.0	.0	2.8	.0	.0
	Soman center	.0	.0	.0	3.0	6.1
	Rural	.0	.0	4.3	2.1	.0
Urban/Rural	Urban	.0	1.6	1.6	.0	3.2
	Rural	.0	.0	2.5	2.5	2.5
Age	< 6 months	.0	.0	.0	.0	.0
	6-11 months	.0	3.2	9.7	3.2	3.2
	12-23 months	.0	.0	.0	.0	.0
	24-35 months	.0	.0	.0	.0	11.8
	36-47 months	.0	.0	.0	6.3	.0
	48-59 months	.0	.0	.0	.0	4.3
Woman's education level	None	.0	.0	.0	.0	.0
	Primary	.0	.0	9.1	9.1	.0
	Non-Completed Secondary	.0	.0	.0	.0	.0
	Completed Secondary	.0	.0	2.1	2.1	4.3
	Vocational	.0	.0	7.7	.0	.0
	Vocational training and College	.0	.0	.0	.0	.0
	Higher	.0	5.9	.0	.0	11.8
	Missing/DK	.0	.0	.0	.0	.0
Total	.0	.7	2.1	1.4	2.8	

World Summit for Children Goal => Number 24

Table 25: Percentage of under-five children with acute respiratory infection in the last two weeks and treatment by health providers, Mongolia, 2000

		Other	Any appropriate provider	Number of children with ARI
				1.00
Sex	Male	4.2	77.8	72
	Female	4.2	77.5	71
By region	West	2.7	81.1	37
	North	15.8	73.7	19
	South	.0	100.0	6
	East	.0	87.5	24
	Central-1	3.3	60.0	30
	Central-2	3.7	81.5	27
	Household location	Capital city	3.7	81.5
Household location	Aimag center	2.8	77.8	36
	Soman center	3.0	75.8	33
	Rural	6.4	76.6	47
Urban/Rural	Urban	3.2	79.4	63
	Rural	5.0	76.3	80
Age	< 6 months	11.1	66.7	9
	6-11 months	6.5	80.6	31
	12-23 months	4.3	74.5	47
	24-35 months	.0	82.4	17
	36-47 months	6.3	87.5	16
	48-59 months	.0	73.9	23
Woman's education level	None	.0	66.7	3
	Primary	.0	72.7	11
	Non-Completed Secondary	5.9	76.5	34
	Completed Secondary	4.3	80.9	47
	Vocational	.0	69.2	13
	Vocational training and College	7.1	85.7	14
	Higher	.0	76.5	17
	Missing/DK	25.0	75.0	4
	Total	4.2	77.6	143

World Summit for Children Goal => Number 24

Tables

Table 26: Percentage of children 0-59 months of age reported ill during the last two weeks who received increased fluids and continued feeding, Mongolia, 2000

		Reported illness in last two weeks	Number of children under 5	Drinking during illness		
				More	Same/Less	Missing/DK
Sex	Male	14.6	3150	40.7	54.9	4.4
	Female	14.8	3034	36.7	60.0	3.3
By region	West	19.1	1186	38.1	58.0	4.0
	North	7.7	1598	35.0	61.8	3.3
	South	16.5	430	36.6	62.0	1.4
	East	18.3	575	50.5	46.7	2.9
	Central-1	18.3	903	37.0	59.4	3.6
	Central-2	14.7	1492	37.9	56.6	5.5
Household location	Capital city	14.7	1492	37.9	56.6	5.5
	Aimag center	18.7	1211	35.7	59.5	4.8
	Soman center	14.4	1152	40.4	57.8	1.8
	Rural	12.8	2329	40.7	56.2	3.0
Urban/Rural	Urban	16.5	2703	36.8	58.1	5.2
	Rural	13.3	3481	40.6	56.8	2.6
Age	< 6 months	14.6	656	18.8	71.9	9.4
	6-11 months	22.2	708	38.2	59.2	2.5
	12-23 months	21.9	1255	43.6	54.2	2.2
	24-35 months	12.1	1193	34.7	59.7	5.6
	36-47 months	10.3	1131	37.9	58.6	3.4
	48-59 months	9.8	1241	49.6	47.1	3.3
Woman's education level	None	16.7	48	37.5	62.5	.0
	Primary	12.5	313	23.1	76.9	.0
	Non-Completed Secondary	11.3	1645	40.9	53.8	5.4
	Completed Secondary	15.3	2064	35.4	62.0	2.5
	Vocational	16.4	648	43.4	53.8	2.8
	Vocational training and College	16.7	818	42.3	51.8	5.8
	Higher	18.4	599	39.1	55.5	5.5
	Missing/DK	14.3	49	71.4	28.6	.0
Total	14.7	6184	38.7	57.4	3.9	

Monitoring IMCI and Malaria Indicator

Table 26: Percentage of children 0-59 months of age reported ill during the last two weeks who received increased fluids and continued feeding, Mongolia, 2000

		Total	Eating during illness			Total	Received increased fluids and continued eating
			somewhat less/same/more	Much less/none	Missing/DK		
Sex	Male	100.0	78.4	18.3	3.3	100.0	31.8
	Female	100.0	77.8	19.8	2.4	100.0	27.8
By region	West	100.0	73.9	23.0	3.1	100.0	28.3
	North	100.0	82.1	17.9	.0	100.0	29.3
	South	100.0	90.1	8.5	1.4	100.0	32.4
	East	100.0	74.3	23.8	1.9	100.0	34.3
	Central-1	100.0	78.2	18.8	3.0	100.0	27.9
	Central-2	100.0	78.1	16.9	5.0	100.0	30.1
Household location	Capital city	100.0	78.1	16.9	5.0	100.0	30.1
	Aimag center	100.0	78.9	18.1	3.1	100.0	28.2
	Soman center	100.0	81.3	16.9	1.8	100.0	30.7
	Rural	100.0	75.8	22.6	1.7	100.0	30.3
Urban/Rural	Urban	100.0	78.5	17.5	4.0	100.0	29.1
	Rural	100.0	77.8	20.5	1.7	100.0	30.5
Age	< 6 months	100.0	83.3	12.5	4.2	100.0	15.6
	6-11 months	100.0	82.8	14.6	2.5	100.0	30.6
	12-23 months	100.0	79.6	18.5	1.8	100.0	36.0
	24-35 months	100.0	73.6	20.8	5.6	100.0	25.7
	36-47 months	100.0	74.1	23.3	2.6	100.0	26.7
	48-59 months	100.0	73.6	24.8	1.7	100.0	33.9
Woman's education level	None	100.0	87.5	12.5	.0	100.0	37.5
	Primary	100.0	76.9	23.1	.0	100.0	15.4
	Non-Completed Secondary	100.0	71.5	24.7	3.8	100.0	30.1
	Completed Secondary	100.0	82.3	16.1	1.6	100.0	28.5
	Vocational	100.0	77.4	19.8	2.8	100.0	32.1
	Vocational training and College	100.0	80.3	16.1	3.6	100.0	35.0
	Higher	100.0	73.6	20.9	5.5	100.0	26.4
	Missing/DK	100.0	100.0	.0	.0	100.0	71.4
Total		100.0	78.1	19.0	2.9	100.0	29.8

Monitoring IMCI and Malaria Indicator

Table 26: Percentage of children 0-59 months of age reported ill during the last two weeks who received increased fluids and continued feeding, Mongolia, 2000

		Number of sick children
		1.00
Sex	Male	459
	Female	450
By region	West	226
	North	123
	South	71
	East	105
	Central-1	165
	Central-2	219
Household location	Capital city	219
	Aimag center	227
	Soman center	166
	Rural	297
Urban/Rural	Urban	446
	Rural	463
Age	< 6 months	96
	6-11 months	157
	12-23 months	275
	24-35 months	144
	36-47 months	116
	48-59 months	121
Woman's education level	None	8
	Primary	39
	Non-Completed Secondary	186
	Completed Secondary	316
	Vocational	106
	Vocational training and College	137
	Higher	110
	Missing/DK	7
Total		909

Monitoring IMCI and Malaria Indicator

Tables

Table 27: Percentage of caretakers of children 0-59 months who know at least 2 signs for seeking care immediately, Mongolia, 2000

		Not able to drink/breast feed	Becomes sicker	Develops a fever	Has fast breathing	Has difficult breathing
By region	West	.6	41.7	57.5	10.1	6.9
	North	11.0	50.1	57.9	13.5	19.8
	South	4.7	47.2	52.8	10.0	8.1
	East	14.3	47.8	61.7	23.1	18.1
	Central-1	1.8	32.3	61.5	7.2	6.8
	Central-2	5.5	55.1	56.4	14.4	13.5
Household location	Capital city	5.5	55.1	56.4	14.4	13.5
	Aimag center	6.1	42.8	55.9	14.9	13.6
	Soman center	6.7	42.4	58.9	13.0	10.5
	Rural	6.4	45.5	59.6	10.6	13.4
Urban/Rural	Urban	5.8	49.6	56.2	14.6	13.5
	Rural	6.5	44.5	59.4	11.4	12.4
Woman's education level	None	10.4	43.8	56.3	6.3	12.5
	Primary	4.5	44.4	59.1	9.6	8.9
	Non-Completed Secondary	7.2	46.1	58.1	12.6	13.6
	Completed Secondary	7.2	46.4	58.0	12.1	13.7
	Vocational	2.9	47.1	56.2	12.5	10.2
	Vocational training and College	4.4	47.4	60.0	15.3	12.6
	Higher	6.0	50.1	57.8	14.0	13.7
Missing/DK	10.2	38.8	38.8	24.5	16.3	
Total		6.2	46.7	58.0	12.8	12.9

Monitoring IMCI and Malaria Indicator

Table 27: Percentage of caretakers of children 0-59 months who know at least 2 signs for seeking care immediately, Mongolia, 2000

		Has blood in stool	Is drinking poorly	Knows at least two signs	Number of caretakers
By region	West	2.4	.8	32.4	1186
	North	11.3	1.4	42.2	1598
	South	10.7	1.4	19.8	430
	East	10.6	2.3	65.0	575
	Central-1	2.2	2.0	20.6	903
	Central-2	6.0	1.7	42.8	1492
	Household location	Capital city	6.0	1.7	42.8
	Aimag center	7.3	1.7	33.2	1211
	Soman center	6.3	1.7	36.8	1152
	Rural	7.5	1.2	37.7	2329
Urban/Rural	Urban	6.6	1.7	38.5	2703
	Rural	7.1	1.4	37.4	3481
Woman's education level	None	6.3	4.2	25.0	48
	Primary	4.5	1.6	29.7	313
	Non-Completed Secondary	7.6	1.3	37.6	1645
	Completed Secondary	7.6	1.3	39.6	2064
	Vocational	3.9	1.9	33.6	648
	Vocational training and College	6.7	1.3	40.1	818
	Higher	7.0	2.5	39.6	599
	Missing/DK	8.2	.0	34.7	49
Total		6.9	1.5	37.9	6184

Monitoring IMCI and Malaria Indicator

Tables

Table 30: Percentage of women aged 15-49 who know the main ways of preventing HIV transmission, Mongolia, 2000

		Heard of AIDS	Have only one faithful uninfected sex partner	Using a condom every time	Abstaining from sex	Knows all three ways	Knows at least one way	Doesn't know any way	Number of women 1.00
By region	West	94.9	81.6	78.0	44.1	37.9	87.6	12.4	1475
	North	89.1	75.9	76.1	35.8	29.0	83.0	17.0	1784
	South	88.8	79.3	78.6	37.2	32.5	84.4	15.6	570
	East	95.9	76.2	80.1	46.2	31.5	89.5	10.5	821
	Central-1	92.9	79.6	77.2	43.3	36.7	86.0	14.0	1342
	Central-2	98.9	91.8	87.9	55.2	50.6	95.1	4.9	2265
Household location	Capital city	98.9	91.8	87.9	55.2	50.6	95.1	4.9	2265
	Aimag center	95.7	82.2	82.6	51.0	40.8	91.1	8.9	1728
	Soman center	94.0	80.6	79.2	40.5	33.7	87.1	12.9	1502
Urban/Rural	Rural	89.2	75.0	73.6	35.2	29.1	81.8	18.2	2762
	Urban	97.5	87.7	85.6	53.4	46.3	93.4	6.6	3993
	Rural	90.9	77.0	75.6	37.1	30.7	83.7	16.3	4264
Age	15-19	89.7	74.0	72.7	43.1	36.2	81.3	18.7	1394
	20-24	95.0	82.2	80.4	45.4	38.4	88.7	11.3	1784
	25-29	95.5	84.5	83.1	45.5	39.0	90.4	9.6	1767
	30-34	94.9	84.2	83.5	45.2	39.3	90.1	9.9	1326
	35-39	94.4	85.6	82.2	48.9	42.4	90.3	9.7	949
	40-44	94.0	81.2	79.7	42.1	33.6	88.6	11.4	649
Woman's education level	45-49	96.1	87.1	82.5	41.5	35.8	91.8	8.2	388
	None	63.0	47.8	47.8	23.9	18.5	53.3	46.7	92
	Primary	84.2	65.2	65.6	33.1	25.8	73.6	26.4	759
	Non-Completed Secondary	91.7	77.1	76.1	38.1	31.5	83.9	16.1	2099
	Completed Secondary	97.1	86.4	84.4	49.3	42.1	92.7	7.3	2582
	Vocational	96.4	84.7	81.6	44.3	38.0	90.8	9.2	760
	Vocational training and College	99.5	90.9	88.9	50.3	44.3	95.6	4.4	1008
Higher	98.9	92.8	89.0	59.0	52.2	97.2	2.8	849	
Missing/DK	61.1	44.4	45.4	20.4	17.6	49.1	50.9	108	
Total		94.1	82.2	80.4	45.0	38.3	88.4	11.6	8257

Monitoring HIV/AIDS Indicator

Tables

Table 30: Percentage of women aged 15-49 who know the main ways of preventing HIV transmission, Mongolia, 2000

		Heard of AIDS	Have only one faithful uninfected sex partner	Using a condom every time	Knows two ways	Knows at least one way	Doesn't know any way	Number of women 1.00
By region	West	94.9	81.6	78.0	73.5	86.1	13.9	1475
	North	89.1	75.9	76.1	69.5	82.5	17.5	1784
	South	88.8	79.3	78.6	74.6	83.3	16.7	570
	East	95.9	76.2	80.1	67.6	88.8	11.2	821
	Central-1	92.9	79.6	77.2	72.4	84.4	15.6	1342
	Central-2	98.9	91.8	87.9	85.2	94.5	5.5	2265
Household location	Capital city	98.9	91.8	87.9	85.2	94.5	5.5	2265
	Aimag center	95.7	82.2	82.6	74.9	89.9	10.1	1728
	Soman center	94.0	80.6	79.2	73.6	86.3	13.7	1502
Urban/Rural	Rural	89.2	75.0	73.6	67.8	80.7	19.3	2762
	Urban	97.5	87.7	85.6	80.8	92.5	7.5	3993
	Rural	90.9	77.0	75.6	69.9	82.7	17.3	4264
Age	15-19	89.7	74.0	72.7	66.5	80.2	19.8	1394
	20-24	95.0	82.2	80.4	74.9	87.6	12.4	1784
	25-29	95.5	84.5	83.1	77.9	89.7	10.3	1767
	30-34	94.9	84.2	83.5	78.4	89.3	10.7	1326
	35-39	94.4	85.6	82.2	78.1	89.7	10.3	949
	40-44	94.0	81.2	79.7	73.3	87.5	12.5	649
Woman's education level	45-49	96.1	87.1	82.5	79.1	90.5	9.5	388
	None	63.0	47.8	47.8	43.5	52.2	47.8	92
	Primary	84.2	65.2	65.6	58.6	72.2	27.8	759
	Non-Completed Secondary	91.7	77.1	76.1	70.1	83.1	16.9	2099
	Completed Secondary	97.1	86.4	84.4	79.0	91.8	8.2	2582
	Vocational	96.4	84.7	81.6	76.6	89.7	10.3	760
	Vocational training and College	99.5	90.9	88.9	84.7	95.0	5.0	1008
Total	Higher	98.9	92.8	89.0	85.7	96.1	3.9	849
	Missing/DK	61.1	44.4	45.4	40.7	49.1	50.9	108
Total		94.1	82.2	80.4	75.1	87.4	12.6	8257

Monitoring HIV/AIDS Indicator

Tables

Table 31: Percentage of women aged 15-49 who correctly identify misconceptions about HIV/AIDS, Mongolia, 2000

		Heard of AIDS	AIDS can't be transmitted by supernatural means	AIDS can't be transmitted by mosquito bites	A healthy looking person can be infected
By region	West	94.9	72.8	56.6	49.2
	North	89.1	72.5	62.3	55.3
	South	88.8	68.4	48.2	44.9
	East	95.9	78.8	59.1	50.7
	Central-1	92.9	71.5	52.4	51.9
	Central-2	98.9	85.9	61.5	67.7
	Household location	Capital city	98.9	85.9	61.5
Aimag center		95.7	81.8	61.2	60.9
Soman center		94.0	73.7	57.5	52.9
Rural		89.2	66.7	53.9	44.7
Urban/Rural	Urban	97.5	84.1	61.4	64.7
	Rural	90.9	69.2	55.2	47.6
Age	15-19	89.7	69.9	56.4	54.3
	20-24	95.0	77.6	59.9	58.5
	25-29	95.5	79.3	59.8	55.7
	30-34	94.9	76.2	59.3	54.1
	35-39	94.4	77.8	56.5	57.9
	40-44	94.0	75.8	54.5	53.0
	45-49	96.1	79.1	55.7	56.2
Woman's education level	None	63.0	38.0	34.8	33.7
	Primary	84.2	58.2	48.9	43.1
	Non-Completed Secondary	91.7	68.7	55.6	50.6
	Completed Secondary	97.1	82.2	60.7	59.3
	Vocational	96.4	74.6	53.9	52.8
	Vocational training and College	99.5	88.4	64.8	61.7
	Higher	98.9	90.2	66.9	72.1
	Missing/DK	61.1	40.7	33.3	25.9
Total	94.1	76.4	58.2	55.9	

Monitoring HIV/AIDS Indicator

Table 31: Percentage of women aged 15-49 who correctly identify misconceptions about HIV/AIDS, Mongolia, 2000

		Knows all three misconceptions	Knows at least one misconception	Doesn't correctly identify any misconception	Number of women
					1.00
By region	West	31.0	85.1	14.9	1475
	North	41.1	81.3	18.7	1784
	South	24.0	79.8	20.2	570
	East	36.5	88.2	11.8	821
	Central-1	29.7	83.8	16.2	1342
	Central-2	43.4	93.4	6.6	2265
Household location	Capital city	43.4	93.4	6.6	2265
	Aimag center	41.6	90.3	9.7	1728
	Soman center	34.5	84.6	15.4	1502
Urban/Rural	Rural	28.6	78.8	21.2	2762
	Urban	42.6	92.1	7.9	3993
	Rural	30.7	80.9	19.1	4264
Age	15-19	35.9	80.8	19.2	1394
	20-24	38.5	88.3	11.7	1784
	25-29	36.8	87.7	12.3	1767
	30-34	35.4	86.3	13.7	1326
	35-39	35.7	88.1	11.9	949
	40-44	35.1	84.6	15.4	649
	45-49	35.1	88.4	11.6	388
Woman's education level	None	17.4	53.3	46.7	92
	Primary	27.1	71.1	28.9	759
	Non-Completed Secondary	32.1	81.4	18.6	2099
	Completed Secondary	39.9	90.2	9.8	2582
	Vocational	29.2	87.9	12.1	760
	Vocational training and College	41.7	95.1	4.9	1008
	Higher	49.9	96.5	3.5	849
	Missing/DK	17.6	48.1	51.9	108
Total	36.4	86.3	13.7	8257	

Monitoring HIV/AIDS Indicator

Tables

Table 32: Percentage of women aged 15-49 who correctly identify means of HIV transmission from mother to child, Mongolia, 2000

		Know AIDS can be transmitted from mother to child	Transmission during pregnancy possible	Transmission at delivery possible	Transmission through breastmilk possible
By region	West	74.9	68.1	62.6	42.7
	North	61.4	43.3	43.9	24.1
	South	64.9	56.1	52.5	34.7
	East	75.6	53.6	62.2	30.7
	Central-1	66.6	57.0	50.8	37.7
	Central-2	71.3	64.2	58.3	29.7
Household location	Capital city	71.3	64.2	58.3	29.7
	Aimag center	71.8	57.5	56.0	33.7
	Soman center	69.6	57.3	54.2	33.3
	Rural	65.1	52.5	51.3	33.8
Urban/Rural	Urban	71.5	61.3	57.3	31.4
	Rural	66.7	54.2	52.3	33.6
Age	15-19	57.2	44.8	44.5	24.5
	20-24	67.9	54.3	53.7	30.3
	25-29	72.6	61.3	57.8	34.2
	30-34	74.7	64.0	59.6	37.2
	35-39	72.0	63.5	57.5	35.8
	40-44	70.4	60.4	55.2	35.4
	45-49	71.4	60.6	58.0	35.6
Woman's education level	None	41.3	31.5	30.4	25.0
	Primary	52.8	41.2	41.0	26.9
	Non-Completed Secondary	64.7	50.9	51.0	32.3
	Completed Secondary	71.3	58.6	56.6	33.3
	Vocational	74.5	65.3	58.0	40.0
	Vocational training and College	79.8	72.1	66.6	34.8
	Higher	76.7	67.6	59.7	29.2
	Missing/DK	38.0	32.4	26.9	18.5
Total	69.0	57.6	54.7	32.6	

Monitoring HIV/AIDS Indicator

Table 32: Percentage of women aged 15-49 who correctly identify means of HIV transmission from mother to child, Mongolia, 2000

		Knows all three	Did not know any specific way	Number of women
				1.00
By region	West	37.3	27.7	1475
	North	18.8	43.6	1784
	South	26.3	37.4	570
	East	24.8	28.6	821
	Central-1	29.6	36.4	1342
	Central-2	24.9	31.1	2265
Household location	Capital city	24.9	31.1	2265
	Aimag center	28.1	32.3	1728
	Soman center	26.5	34.4	1502
Urban/Rural	Rural	27.3	38.0	2762
	Urban	26.2	31.6	3993
	Rural	27.0	36.7	4264
Age	15-19	19.5	46.6	1394
	20-24	24.6	36.0	1784
	25-29	27.7	30.2	1767
	30-34	31.1	28.4	1326
	35-39	29.8	30.7	949
	40-44	28.8	32.8	649
	45-49	30.4	31.4	388
	Missing/DK	15.7	63.9	108
Woman's education level	None	20.7	62.0	92
	Primary	20.3	51.0	759
	Non-Completed Secondary	25.8	38.7	2099
	Completed Secondary	27.8	32.5	2582
	Vocational	31.4	28.2	760
	Vocational training and College	30.4	22.5	1008
	Higher	24.1	26.4	849
	Missing/DK	15.7	63.9	108
Total	26.6	34.2	8257	

Monitoring HIV/AIDS Indicator

Tables

Table 33: Percentage of women aged 15-49 who express a discriminatory attitude towards people with HIV/AIDS, Mongolia, 2000

		Believe that a teacher with HIV should not be allowed to work	Would not buy food from a person with HIV/AIDS	Agree with at least one discriminatory statement
By region	West	35.2	12.8	36.9
	North	40.2	7.0	42.1
	South	25.4	10.7	27.0
	East	38.5	6.7	40.1
	Central-1	38.9	15.9	41.0
	Central-2	52.9	21.9	54.6
Household location	Capital city	52.9	21.9	54.6
	Aimag center	49.8	16.8	52.1
	Soman center	37.1	10.9	38.6
	Rural	29.0	6.8	30.7
Urban/Rural	Urban	51.6	19.7	53.5
	Rural	31.9	8.3	33.5
Age	15-19	42.3	14.6	44.0
	20-24	44.3	14.2	46.4
	25-29	41.4	14.2	42.8
	30-34	38.8	12.9	40.7
	35-39	39.5	14.1	41.5
	40-44	40.5	11.7	41.9
	45-49	39.7	13.1	41.2
Woman's education level	None	28.3	3.3	29.3
	Primary	31.4	9.6	33.5
	Non-Completed Secondary	34.7	9.6	36.5
	Completed Secondary	44.5	15.1	46.0
	Vocational	33.8	10.9	35.9
	Vocational training and College	46.7	15.6	48.2
	Higher	62.1	26.7	64.3
	Missing/DK	20.4	4.6	21.3
Total	41.4	13.8	43.2	

Monitoring HIV/AIDS Indicator

Table 33: Percentage of women aged 15-49 who express a discriminatory attitude towards people with HIV/AIDS, Mongolia, 2000

		Agree with neither discriminatory statement	Number of women
			1.00
By region	West	63.1	1475
	North	57.9	1784
	South	73.0	570
	East	59.9	821
	Central-1	59.0	1342
	Central-2	45.4	2265
Household location	Capital city	45.4	2265
	Aimag center	47.9	1728
	Soman center	61.4	1502
	Rural	69.3	2762
Urban/Rural	Urban	46.5	3993
	Rural	66.5	4264
Age	15-19	56.0	1394
	20-24	53.6	1784
	25-29	57.2	1767
	30-34	59.3	1326
	35-39	58.5	949
	40-44	58.1	649
	45-49	58.8	388
	Total	56.8	8257
Woman's education level	None	70.7	92
	Primary	66.5	759
	Non-Completed Secondary	63.5	2099
	Completed Secondary	54.0	2582
	Vocational	64.1	760
	Vocational training and College	51.8	1008
	Higher	35.7	849
	Missing/DK	78.7	108

Monitoring HIV/AIDS Indicator

Tables

Table 34: Percentage of women aged 15-49 who have sufficient knowledge of HIV/AIDS transmission, Mongolia, 2000

		Heard of AIDS	Know 3 ways to prevent HIV transmission	Correctly identify 3 misconceptions about HIV transmission
By region	West	94.9	37.9	31.0
	North	89.1	29.0	41.1
	South	88.8	32.5	24.0
	East	95.9	31.5	36.5
	Central-1	92.9	36.7	29.7
	Central-2	98.9	50.6	43.4
Household location	Capital city	98.9	50.6	43.4
	Aimag center	95.7	40.8	41.6
	Soman center	94.0	33.7	34.5
	Rural	89.2	29.1	28.6
Urban/Rural	Urban	97.5	46.3	42.6
	Rural	90.9	30.7	30.7
Age	15-19	89.7	36.2	35.9
	20-24	95.0	38.4	38.5
	25-29	95.5	39.0	36.8
	30-34	94.9	39.3	35.4
	35-39	94.4	42.4	35.7
	40-44	94.0	33.6	35.1
	45-49	96.1	35.8	35.1
Woman's education level	None	63.0	18.5	17.4
	Primary	84.2	25.8	27.1
	Non-Completed Secondary	91.7	31.5	32.1
	Completed Secondary	97.1	42.1	39.9
	Vocational	96.4	38.0	29.2
	Vocational training and College	99.5	44.3	41.7
	Higher	98.9	52.2	49.9
	Missing/DK	61.1	17.6	17.6
Total		94.1	38.3	36.4

Monitoring HIV/AIDS Indicator

Table 34: Percentage of women aged 15-49 who have sufficient knowledge of HIV/AIDS transmission, Mongolia, 2000

		Have sufficient knowledge	Number of women
			1.00
By region	West	20.1	1475
	North	16.9	1784
	South	10.5	570
	East	16.7	821
	Central-1	16.3	1342
	Central-2	27.7	2265
	Household location	Capital city	27.7
	Aimag center	23.0	1728
	Soman center	16.9	1502
	Rural	13.1	2762
Urban/Rural	Urban	25.7	3993
	Rural	14.5	4264
Age	15-19	20.7	1394
	20-24	20.7	1784
	25-29	18.8	1767
	30-34	20.1	1326
	35-39	21.0	949
	40-44	17.6	649
	45-49	18.6	388
	Woman's education level	None	7.6
	Primary	13.3	759
	Non-Completed Secondary	16.1	2099
	Completed Secondary	22.4	2582
	Vocational	15.5	760
	Vocational training and College	23.1	1008
	Higher	30.9	849
	Missing/DK	4.6	108
Total		19.9	8257

Monitoring HIV/AIDS Indicator

Tables

Table 35: Percentage of women aged 15-49 who know where to get an AIDS test and who have been tested, Mongolia, 2000

		Know a place to get tested	Have been tested	If tested, have been told result	Number of women 1.00
By region	West	46.6	4.5	73.1	1475
	North	49.4	5.2	76.1	1784
	South	44.9	14.9	70.6	570
	East	56.6	10.7	87.5	821
	Central-1	46.3	17.0	76.8	1342
	Central-2	69.4	27.2	90.7	2265
Household location	Capital city	69.4	27.2	90.7	2265
	Aimag center	63.5	19.0	83.8	1728
	Soman center	49.6	6.5	72.2	1502
Urban/Rural	Rural	38.7	4.9	63.7	2762
	Urban	66.9	23.6	88.3	3993
Age	Rural	42.5	5.4	67.2	4264
	15-19	39.9	5.5	64.9	1394
	20-24	54.9	15.1	85.2	1784
	25-29	57.8	15.7	87.4	1767
	30-34	59.8	19.5	83.8	1326
	35-39	58.6	17.4	86.1	949
	40-44	56.1	13.7	83.1	649
Woman's education level	45-49	55.4	9.8	89.5	388
	None	26.1	5.4	100.0	92
	Primary	34.4	3.7	60.7	759
	Non-Completed Secondary	44.4	8.1	72.8	2099
	Completed Secondary	57.4	16.2	84.4	2582
	Vocational	52.4	14.2	83.3	760
	Vocational training and College	68.7	19.5	90.4	1008
	Higher	78.8	28.9	89.8	849
Total	Missing/DK	25.9	5.6	66.7	108
		54.3	14.2	84.2	8257

Monitoring HIV/AIDS Indicator

Table 36: Percentage of married or in union women aged 15-49 who are using (or whose partner is using) a contraceptive method, Mongolia, 2000

		Current method								
		No method	Female sterilization	Male sterilization	Pill	IUD	Injections	Implants	Condom	Female condom
By region	West	27.7	.4	.0	5.4	.1	7.4	36.2	4.1	.5
	North	41.1	1.4	.4	5.8	.2	6.8	35.7	2.7	.9
	South	32.2	2.0	.0	13.4	.6	4.5	37.0	4.5	.0
	East	37.0	1.6	.0	6.1	.7	5.4	34.8	4.3	1.1
	Central-1	25.3	1.7	.0	13.4	.4	6.5	31.8	2.8	.1
	Central-2	31.8	1.3	.4	9.0	.2	3.7	29.4	6.7	.5
Household location	Capital city	31.8	1.3	.4	9.0	.2	3.7	29.4	6.7	.5
	Aimag center	28.4	1.3	.0	8.5	.6	6.7	34.7	3.6	.6
	Soman center	28.8	1.0	.1	9.4	.1	8.1	33.4	4.8	.7
Area	Rural	37.8	1.5	.2	7.1	.2	5.5	36.1	2.7	.5
	Urban	30.3	1.3	.2	8.8	.4	5.0	31.7	5.4	.5
Age	Rural	34.7	1.3	.2	7.9	.2	6.4	35.2	3.4	.6
	15-19	64.8	.0	.0	4.5	.0	4.5	15.9	5.7	1.1
	20-24	37.3	.1	.1	8.0	.1	6.6	32.7	5.0	.1
Woman's education level	25-49	30.9	1.6	.2	8.5	.3	5.6	34.1	4.1	.6
	None	58.6	.0	.0	.0	.0	3.4	31.0	3.4	.0
	Primary	48.2	2.2	.0	1.8	.4	5.8	32.6	1.3	.0
	Non-Completed	39.9	1.4	.3	5.4	.4	4.7	36.3	3.2	.3
	Secondary	32.3	1.1	.1	8.9	.1	6.4	33.6	3.0	.7
	Completed Secondary	29.9	1.8	.4	8.8	.0	7.0	35.6	3.0	.2
	Vocational	27.8	1.8	.1	9.9	.2	5.4	33.5	5.6	.9
	Vocational training and College	21.0	.3	.2	12.8	.8	4.7	27.3	10.6	.8
Higher	51.7	.0	.0	.0	.0	20.7	20.7	.0	.0	
Total	32.6	1.3	.2	8.3	.3	5.8	33.5	4.3	.6	

World Summit for Children Goal => Number 10

Table 36: Percentage of married or in union women aged 15-49 who are using (or whose partner is using) a contraceptive method, Mongolia, 2000

		Current method					Total	Any modern method	Any traditional method
		Diaphragm/f oam/jelly	LAM	Periodic abstinence	Withdrawal	Other			
By region	West	.0	10.8	7.0	.5	.0	100.0	54.1	18.3
	North	.1	.0	4.8	.0	.1	100.0	54.0	4.9
	South	.0	.0	5.9	.0	.0	100.0	61.9	5.9
	East	.2	2.2	6.3	.0	.4	100.0	54.0	9.0
	Central-1	.1	8.5	8.4	.0	.9	100.0	56.9	17.8
	Central-2	.1	4.0	12.3	.1	.3	100.0	51.5	16.7
Household location	Capital city	.1	4.0	12.3	.1	.3	100.0	51.5	16.7
	Aimag center	.3	4.8	10.0	.1	.5	100.0	56.2	15.4
	Soman center	.0	6.3	6.9	.3	.2	100.0	57.5	13.7
	Rural	.0	4.2	4.0	.1	.2	100.0	53.8	8.4
Area	Urban	.2	4.4	11.3	.1	.4	100.0	53.6	16.1
	Rural	.0	4.9	5.0	.2	.2	100.0	55.1	10.2
Age	15-19	.0	2.3	1.1	.0	.0	100.0	31.8	3.4
	20-24	.0	6.6	3.1	.0	.1	100.0	52.8	9.8
	25-49	.1	4.3	9.2	.1	.3	100.0	55.2	14.0
Woman's education level	None	.0	3.4	.0	.0	.0	100.0	37.9	3.4
	Primary	.0	5.4	1.8	.0	.4	100.0	44.2	7.6
	Non-Completed Secondary	.1	4.3	3.2	.3	.2	100.0	52.2	7.9
	Completed Secondary	.0	5.8	7.7	.1	.2	100.0	54.0	13.7
	Vocational	.2	5.3	7.5	.2	.4	100.0	56.7	13.3
	Vocational training and College	.1	3.3	10.9	.1	.4	100.0	57.6	14.7
	Higher	.3	3.6	17.1	.0	.5	100.0	57.9	21.1
	Missing/DK	.0	3.4	3.4	.0	.0	100.0	41.4	6.9
Total		.1	4.6	8.0	.1	.3	100.0	54.3	13.0

World Summit for Children Goal => Number 10

Table 36: Percentage of married or in union women aged 15-49 who are using (or whose partner is using) a contraceptive method, Mongolia, 2000

		Any method	Number of currently married women
			1.00
By region	West	72.3	962
	North	58.9	1131
	South	67.8	357
	East	63.0	446
	Central-1	74.7	754
	Central-2	68.2	1340
Household location	Capital city	68.2	1340
	Aimag center	71.6	1026
	Soman center	71.2	905
Area	Rural	62.2	1719
	Urban	69.7	2366
Age	15-19	35.2	88
	20-24	62.7	895
	25-49	69.1	4007
Woman's education level	None	41.4	29
	Primary	51.8	224
	Non-Completed	60.1	1161
	Completed Secondary	67.7	1543
	Vocational	70.1	571
	Vocational training and College	72.2	818
	Higher	79.0	615
	Missing/DK	48.3	29
Total	67.4	4990	

World Summit for Children Goal => Number 10

Table 38: Percent distribution of women aged 15-49 with a birth in the last year by type of personnel delivering care, Mongolia, 2000

		Person delivering antenatal care			
		Doctor	Nurse/mid wife	Auxiliary midwife	Other/missing
By region	West	84.9	9.8	.0	3.7
	North	93.1	5.2	.2	.5
	South	89.1	8.2	.0	2.7
	East	91.1	8.2	.0	.0
	Central-1	93.7	2.7	.0	1.8
	Central-2	93.1	2.1	.0	1.3
Household location	Capital city	93.1	2.1	.0	1.3
	Aimag center	96.2	1.7	.0	1.4
	Soman center	93.4	4.8	.4	.7
Area	Rural	86.7	9.6	.0	2.1
	Urban	94.4	1.9	.0	1.3
Woman's education level	Rural	88.8	8.0	.1	1.7
	None	90.0	.0	.0	.0
	Primary	96.4	1.2	.0	.0
	Non-Completed Secondary	89.3	7.4	.3	1.5
	Completed Secondary	92.5	4.7	.0	1.2
	Vocational	90.2	6.0	.0	2.3
	Vocational training and College	88.4	5.8	.0	3.5
	Higher	95.0	2.2	.0	.7
Missing/DK	85.7	14.3	.0	.0	
Total	91.4	5.3	.1	1.5	

World Summit for Children Goals => Numbers 9, 11

Table 38: Percent distribution of women aged 15-49 with a birth in the last year by type of personnel delivering antenatal care, Mongolia, 2000

		Person delivering antenatal care	Total	Any skilled personnel	Number of women
		No antenatal care received			1.00
By region	West	1.6	100.0	94.7	245
	North	1.0	100.0	98.5	403
	South	.0	100.0	97.3	110
	East	.7	100.0	99.3	146
	Central-1	1.8	100.0	96.4	221
	Central-2	3.6	100.0	95.1	390
Household location	Capital city	3.6	100.0	95.1	390
	Aimag center	.7	100.0	97.9	291
	Soman center	.7	100.0	98.5	272
	Rural	1.6	100.0	96.3	562
Area	Urban	2.3	100.0	96.3	681
	Rural	1.3	100.0	97.0	834
Woman's education level	None	10.0	100.0	90.0	10
	Primary	2.4	100.0	97.6	84
	Non-Completed Secondary	1.5	100.0	96.9	391
	Completed Secondary	1.6	100.0	97.2	572
	Vocational	1.5	100.0	96.2	133
	Vocational training and College	2.3	100.0	94.2	172
	Higher	2.2	100.0	97.1	139
	Missing/DK	.0	100.0	100.0	14
Total	1.8	100.0	96.7	1515	

World Summit for Children Goals => Numbers 9, 11

Tables

**Table 39: Percent distribution of women aged 15-49 with a birth in the last year by type of personnel assisting at delivery
Mongolia, 2000**

		Person assisting at delivery			
		Doctor	Nurse/mid wife	Auxiliary midwife	Traditional birth attendant
By region	West	50.6	42.0	1.2	.0
	North	50.9	46.2	.7	.0
	South	38.2	57.3	.9	.0
	East	57.5	37.7	4.8	.0
	Central-1	66.5	29.9	.5	.5
	Central-2	74.1	21.3	.5	.0
Household location	Capital city	74.1	21.3	.5	.0
	Aimag center	55.7	41.2	1.4	.0
	Soman center	60.7	37.1	.7	.4
	Rural	48.9	44.8	1.6	.0
Area	Urban	66.2	29.8	.9	.0
	Rural	52.8	42.3	1.3	.1
Woman's education level	None	30.0	50.0	.0	.0
	Primary	58.3	39.3	.0	.0
	Non-Completed Secondary	53.7	40.2	2.0	.3
	Completed Secondary	62.2	34.8	.9	.0
	Vocational	63.2	33.8	.8	.0
	Vocational training and College	54.1	39.5	.6	.0
	Higher	65.5	30.2	1.4	.0
	Missing/DK	35.7	50.0	.0	.0
Total	58.8	36.7	1.1	.1	

World Summit for Children Goal => Numbers 11

**Table 39: Percent distribution of women aged 15-49 with a birth in the last year by type of personnel assisting at delivery
Mongolia, 2000**

		Person assisting at delivery			Total
		Relative/friend	Other/missing	No assistance received	
By region	West	2.0	4.1	.0	100.0
	North	.7	1.0	.5	100.0
	South	.9	2.7	.0	100.0
	East	.0	.0	.0	100.0
	Central-1	.5	2.3	.0	100.0
	Central-2	.0	1.3	2.8	100.0
Household location	Capital city	.0	1.3	2.8	100.0
	Aimag center	.3	1.4	.0	100.0
	Soman center	.4	.7	.0	100.0
	Rural	1.4	2.8	.4	100.0
Area	Urban	.1	1.3	1.6	100.0
	Rural	1.1	2.2	.2	100.0
Woman's education level	None	20.0	.0	.0	100.0
	Primary	.0	1.2	1.2	100.0
	Non-Completed Secondary	1.5	2.0	.3	100.0
	Completed Secondary	.0	1.4	.7	100.0
	Vocational	.0	2.3	.0	100.0
	Vocational training and College	.0	3.5	2.3	100.0
	Higher	.0	.7	2.2	100.0
	Missing/DK	14.3	.0	.0	100.0
Total	.7	1.8	.9	100.0	

World Summit for Children Goal => Numbers 11

**Table 39: Percent distribution of women aged 15-49 with a birth in the last year by type of personnel assisting at delivery
Mongolia, 2000**

		Any skilled personnel	Number of women
			1.00
By region	West	93.9	245
	North	97.8	403
	South	96.4	110
	East	100.0	146
	Central-1	96.8	221
	Central-2	95.9	390
Household location	Capital city	95.9	390
	Aimag center	98.3	291
	Soman center	98.5	272
	Rural	95.4	562
Area	Urban	96.9	681
	Rural	96.4	834
Woman's education level	None	80.0	10
	Primary	97.6	84
	Non-Completed Secondary	95.9	391
	Completed Secondary	97.9	572
	Vocational	97.7	133
	Vocational training and College	94.2	172
	Higher	97.1	139
	Missing/DK	85.7	14
Total		96.6	1515

World Summit for Children Goal => Numbers 11

Tables

Table 40: Percent distribution of children aged 0-59 months by whether birth is registered and reasons for non-registration, Mongolia, 2000

		Registration status				
		Birth registered	DK if birth registered	Costs too much	Must travel too far	Didn't know it should be registered
Sex	Male	97.2	.5	.2	.3	.0
	Female	98.0	.1	.1	.2	.0
By region	West	97.1	.3	.0	.2	.0
	North	98.3	.3	.1	.1	.1
	South	97.0	.2	.0	.2	.0
	East	97.7	.0	.7	.5	.0
	Central-1	96.9	.6	.3	.3	.0
	Central-2	97.9	.3	.1	.3	.0
	Household location	Capital city	97.9	.3	.1	.3
Household location	Aimag center	98.2	.1	.1	.4	.0
	Soman center	98.0	.3	.3	.1	.0
	Rural	97.0	.3	.2	.2	.0
Area	Urban	98.0	.2	.1	.3	.0
	Rural	97.3	.3	.2	.1	.0
Age	< 6 months	84.8	.6	.8	1.7	.2
	6-11 months	97.9	.3	.1	.0	.0
	12-23 months	98.9	.2	.1	.1	.0
	24-35 months	99.3	.2	.2	.2	.0
	36-47 months	99.6	.2	.0	.0	.0
	48-59 months	99.5	.5	.0	.0	.0
Woman's education level	None	97.9	.0	.0	.0	.0
	Primary	94.9	.6	1.0	.3	.0
	Non-Completed Secondary	97.3	.4	.2	.2	.1
	Completed Secondary	97.8	.4	.0	.3	.0
	Vocational	96.8	.2	.2	.0	.0
	Vocational training and College	98.7	.1	.0	.4	.0
	Higher	99.0	.0	.0	.0	.0
	Missing/DK	95.9	.0	2.0	.0	.0
Total	97.6	.3	.1	.2	.0	

Monitoring Children's Rights Indicator

Table 40: Percent distribution of children aged 0-59 months by whether birth is registered and reasons for non-registration, Mongolia, 2000

		Registration status			
		Late & didn't want to pay fine	Doesn't know where to register	Other	Reason DK or Missing
Sex	Male	.0	.0	1.8	.0
	Female	.1	.0	1.4	.1
By region	West	.0	.0	2.3	.2
	North	.0	.1	1.2	.0
	South	.0	.0	2.6	.0
	East	.2	.0	.9	.0
	Central-1	.0	.0	1.9	.0
	Central-2	.1	.1	1.3	.0
	Capital city	.1	.1	1.3	.0
Household location	Aimag center	.1	.0	1.1	.1
	Soman center	.0	.0	1.2	.1
	Rural	.0	.0	2.2	.0
Area	Urban	.1	.0	1.2	.0
	Rural	.0	.0	1.9	.0
Age	< 6 months	.0	.3	11.4	.3
	6-11 months	.1	.0	1.6	.0
	12-23 months	.1	.0	.7	.0
	24-35 months	.0	.0	.2	.0
	36-47 months	.1	.0	.1	.0
	48-59 months	.0	.0	.0	.0
Woman's education level	None	.0	.0	2.1	.0
	Primary	.0	.0	3.2	.0
	Non-Completed Secondary	.1	.0	1.7	.0
	Completed Secondary	.0	.0	1.5	.0
	Vocational	.0	.2	2.6	.2
	Vocational training and College	.0	.0	.9	.0
	Higher	.2	.0	.7	.2
	Missing/DK	.0	2.0	.0	.0
Total	.0	.0	1.6	.0	

Monitoring Children's Rights Indicator

Table 40: Percent distribution of children aged 0-59 months by whether birth is registered and reasons for non-registration, Mongolia, 2000

		Total	Number of children
			1.00
Sex	Male	100.0	3150
	Female	100.0	3034
By region	West	100.0	1186
	North	100.0	1598
	South	100.0	430
	East	100.0	575
	Central-1	100.0	903
	Central-2	100.0	1492
Household location	Capital city	100.0	1492
	Aimag center	100.0	1211
	Soman center	100.0	1152
Area	Rural	100.0	2329
	Urban	100.0	2703
Age	Rural	100.0	3481
	< 6 months	100.0	656
	6-11 months	100.0	708
	12-23 months	100.0	1255
	24-35 months	100.0	1193
	36-47 months	100.0	1131
Woman's education level	48-59 months	100.0	1241
	None	100.0	48
	Primary	100.0	313
	Non-Completed Secondary	100.0	1645
	Completed Secondary	100.0	2064
	Vocational	100.0	648
	Vocational training and College	100.0	818
	Higher	100.0	599
Missing/DK	100.0	49	
Total		100.0	6184

Monitoring Children's Rights Indicator

Tables

Table 41: Percentage of children 0-14 years of age in households not living with a biological parent, Mongolia, 2000

		Living arrangement				
		Living with both parents	Living with neither: only father alive	Living with neither: only mother alive	Living with neither: both are alive	Living with neither: both are dead
Sex	Male	80.1	.1	.1	1.2	.3
	Female	80.8	.2	.2	1.2	.2
By region	West	90.0	.0	.1	.8	.2
	North	81.3	.3	.1	1.0	.4
	South	80.3	.0	.3	1.3	.4
	East	77.1	.2	.0	1.5	.3
	Central-1	74.8	.2	.3	1.7	.1
	Central-2	76.8	.2	.1	1.3	.3
	Household location	Capital city	76.8	.2	.1	1.3
	Aimag center	77.7	.3	.3	1.7	.3
	Soman center	82.2	.1	.0	.7	.2
	Rural	83.2	.1	.1	1.2	.3
Area	Urban	77.2	.2	.2	1.5	.3
	Rural	82.9	.1	.1	1.0	.2
Age	0-4 years	80.8	.1	.1	1.0	.2
	5-9 years	83.4	.2	.1	1.2	.1
	10-14 years	76.8	.2	.2	1.6	.7
Total		80.5	.2	.1	1.2	.3

Monitoring Children's Rights Indicator

Table 41: Percentage of children 0-14 years of age in households not living with a biological parent, Mongolia, 2000

		Living arrangement				
		Living with mother only: father alive	Living with mother only: father dead	Living with father only: mother alive	Living with father only: mother dead	Impossible to determine
Sex	Male	12.3	4.5	.4	.6	.3
	Female	11.9	4.3	.2	.7	.3
By region	West	4.4	3.9	.0	.5	.1
	North	11.6	4.0	.2	.8	.3
	South	13.4	3.4	.4	.2	.2
	East	12.7	6.8	.5	.6	.3
	Central-1	15.7	5.5	.2	.7	.7
	Central-2	16.0	3.7	.7	.7	.3
	Household location	Capital city	16.0	3.7	.7	.7
	Aimag center	13.2	5.2	.3	.7	.4
	Soman center	11.0	4.9	.2	.5	.2
	Rural	9.7	4.1	.1	.7	.4
Area	Urban	14.6	4.5	.5	.7	.3
	Rural	10.2	4.4	.2	.6	.3
Age	0-4 years	14.5	2.7	.2	.2	.2
	5-9 years	9.6	4.1	.4	.6	.2
	10-14 years	10.0	7.9	.4	1.5	.6
Total		12.1	4.4	.3	.6	.3

Monitoring Children's Rights Indicator

Table 41: Percentage of children 0-14 years of age in households not living with a biological parent, Mongolia, 2000

		Total	Not living with a biological parent	One or both parents dead	Number of children
Sex	Male	100.0	1.7	5.7	6479
	Female	100.0	1.8	5.6	6327
By region	West	100.0	1.1	4.6	2520
	North	100.0	1.8	5.6	3200
	South	100.0	2.0	4.4	928
	East	100.0	2.0	7.9	1213
	Central-1	100.0	2.3	6.8	2192
	Central-2	100.0	1.9	5.0	2753
	Capital city	100.0	1.9	5.0	2753
Household location	Aimag center	100.0	2.6	6.8	2681
	Soman center	100.0	1.0	5.6	2664
	Rural	100.0	1.7	5.3	4708
	Urban	100.0	2.2	5.9	5434
Area	Rural	100.0	1.5	5.4	7372
	Urban	100.0	2.2	5.9	5434
Age	0-4 years	100.0	1.4	3.3	6198
	5-9 years	100.0	1.6	5.2	3376
	10-14 years	100.0	2.7	10.5	3232
Total		100.0	1.8	5.6	12806

Monitoring Children's Rights Indicator